

DB1
R8
135
1967

INDEX

Astrophysics :

	PAGE
— On the clustering of rich clusters of galaxies, <i>T. Kiang</i>	1
— Wave propagation in a rarefied rotating plasma with finite Larmor radius, <i>N. J. Bajaj and J. N. Tandon</i>	41
— The atmosphere of β Doradus—III. Hydrogen line profiles, <i>R. A. Bell and A. W. Rodgers</i>	121
— Observations of planetary nebulae at three microwave frequencies, <i>J. G. Davies, R. J. Faraday, C. G. T. Haslam, M. Moran and P. Thomasson</i>	139
— Model atmospheres for central stars of planetary nebulae, <i>K. B. Gebbie</i>	181
— Identifications of radio sources with bright galaxies, <i>J. L. Caswell and D. Wills</i>	231
— Polarization in η Carinae, <i>N. Visvanathan</i>	275
— An interpretation of the total intensities of the Lyman α and β lines of hydrogen emitted by the Sun, <i>A. G. Hearn</i>	305
— The effect of a toroidal magnetic field on the radial oscillations of stars, <i>I. W. Roxburgh and B. R. Durney</i>	329
— Optical identifications of selected 4C radio sources, <i>D. Wills</i>	339
— Studies in radio source structure—I. A relativistically expanding model for variable quasi-stellar radio sources, <i>M. J. Rees</i>	345
— Kelvin instability for rotating compressible hydromagnetic fluids, <i>G. L. Kalra and S. P. Talwar</i>	391
<i>Argue, A. N.</i> , Red and infra-red magnitudes and colours for 300 F, G and K type stars	23
<i>Bajaj, N. K. and Tandon, J. N.</i> , Wave propagation in a rarefied rotating plasma with finite Larmor radius	41
<i>Bell, R. A. and Rodgers, A. W.</i> , The atmosphere of β Doradus—III. Hydrogen line profiles	121
<i>Branson, N. J. B. A.</i> , A radio survey of the sky north of declination 70° at a frequency of 81.5 Mc/s	149
<i>Burton, W. M., Ridgeley, A. and Wilson, R.</i> , The ultraviolet emission spectrum of the solar chromosphere and corona	207

Celestial mechanics and stellar dynamics :

— The few-body problem, close binary stars and stellar associations, <i>G. Worrall</i>	83
<i>Caswell, J. L. and Wills, D.</i> , Identifications of radio sources with bright galaxies	231
<i>Conway, R. G. and Kronberg, P. P.</i> , An interferometer of 423 metres baseline, consisting of two fully steerable radio telescopes	199
<i>Davies, J. G., Faraday, R. J., Haslam, C. G. T., Moran, M. and Thomasson, P.</i> , Observations of planetary nebulae at three microwave frequencies	139
<i>Durney B. R. and Roxburgh, I. W.</i> , The effect of a toroidal magnetic field on the radial oscillations of stars	329
<i>Eggleton, P. P.</i> , The structure of narrow shells in red giants	243
<i>Faraday, C. G. T., Davies, J. G., Haslam, C. G. T., Moran, M. and Thomasson, P.</i> , Observations of planetary nebulae at three microwave frequencies	139
<i>Faulkner, D. J.</i> , Isophotometry of the 30 Doradus Nebula	401
<i>Feast, M. W.</i> , The supergiant eclipsing system BL Telescopii	287
<i>Gebbie, K. B.</i> , Model atmospheres for central stars of planetary nebulae	181
<i>Graham, J. A.</i> , Photo-electric H β photometry in seven open clusters and in the Scorpio-Centaurus association	377
<i>Haslam, C. G. T., Davies, J. G., Faraday, R. J., Moran, M. and Thomasson, P.</i> , Observations of planetary nebulae at three microwave frequencies	139
<i>Hearn, A. G.</i> , An interpretation of the total intensities of the Lyman α and β lines of hydrogen emitted by the Sun	305
<i>Hughes, R. G. and Longair, M. S.</i> , Evidence on the isotropy of faint radio sources	131
<i>Kalra, G. L. and Talwar, S. P.</i> , Kelvin instability for rotating compressible hydromagnetic fluids	391
<i>Kiang, T.</i> , On the clustering of rich clusters of galaxies	1
<i>Kronberg, P. P. and Conway, R. G.</i> , An interferometer of 423 metres baseline, consisting of two fully steerable radio telescopes	199
<i>Lindsay, E. M.</i> , The dimensions of 47 Tucanae	429
<i>Long, R. J. and Stewart, P.</i> , Further radio studies of sources in the fourth Cambridge catalogue	361
<i>Longair, M. S. and Hughes, R. G.</i> , Evidence on the isotropy of faint radio sources	131
<i>Lynden-Bell, D.</i> , On the origins of space-time and inertia	413

DB1
 R8
 135
 1967

INDEX

Astrophysics :

	PAGE
— On the clustering of rich clusters of galaxies, <i>T. Kiang</i>	1
— Wave propagation in a rarefied rotating plasma with finite Larmor radius, <i>N. J. Bajaj and J. N. Tandon</i>	41
— The atmosphere of β Doradus—III. Hydrogen line profiles, <i>R. A. Bell and A. W. Rodgers</i>	121
— Observations of planetary nebulae at three microwave frequencies, <i>J. G. Davies, R. J. Faraday, C. G. T. Haslam, M. Moran and P. Thomasson</i>	139
— Model atmospheres for central stars of planetary nebulae, <i>K. B. Gebbie</i>	181
— Identifications of radio sources with bright galaxies, <i>J. L. Caswell and D. Wills</i>	231
— Polarization in η Carinae, <i>N. Visvanathan</i>	275
— An interpretation of the total intensities of the Lyman α and β lines of hydrogen emitted by the Sun, <i>A. G. Hearn</i>	305
— The effect of a toroidal magnetic field on the radial oscillations of stars, <i>I. W. Roxburgh and B. R. Durney</i>	329
— Optical identifications of selected 4C radio sources, <i>D. Wills</i>	339
— Studies in radio source structure—I. A relativistically expanding model for variable quasi-stellar radio sources, <i>M. J. Rees</i>	345
— Kelvin instability for rotating compressible hydromagnetic fluids, <i>G. L. Kalra and S. P. Talwar</i>	391
<i>Argue, A. N.</i> , Red and infra-red magnitudes and colours for 300 F, G and K type stars	23
<i>Bajaj, N. K. and Tandon, J. N.</i> , Wave propagation in a rarefied rotating plasma with finite Larmor radius	41
<i>Bell, R. A. and Rodgers, A. W.</i> , The atmosphere of β Doradus—III. Hydrogen line profiles	121
<i>Branson, N. J. B. A.</i> , A radio survey of the sky north of declination 70° at a frequency of 81.5 Mc/s	149
<i>Burton, W. M., Ridgeley, A. and Wilson, R.</i> , The ultraviolet emission spectrum of the solar chromosphere and corona	207

Celestial mechanics and stellar dynamics :

— The few-body problem, close binary stars and stellar associations, <i>G. Worrall</i>	83
<i>Caswell, J. L. and Wills, D.</i> , Identifications of radio sources with bright galaxies	231
<i>Conway, R. G. and Kronberg, P. P.</i> , An interferometer of 423 metres baseline, consisting of two fully steerable radio telescopes	199
<i>Davies, J. G., Faraday, R. J., Haslam, C. G. T., Moran, M. and Thomasson, P.</i> , Observations of planetary nebulae at three microwave frequencies	139
<i>Durney B. R. and Roxburgh, I. W.</i> , The effect of a toroidal magnetic field on the radial oscillations of stars	329
<i>Eggleton, P. P.</i> , The structure of narrow shells in red giants	243
<i>Faraday, C. G. T., Davies, J. G., Haslam, C. G. T., Moran, M. and Thomasson, P.</i> , Observations of planetary nebulae at three microwave frequencies	139
<i>Faulkner, D. J.</i> , Isophotometry of the 30 Doradus Nebula	401
<i>Feast, M. W.</i> , The supergiant eclipsing system BL Telescopii	287
<i>Gebbie, K. B.</i> , Model atmospheres for central stars of planetary nebulae	181
<i>Graham, J. A.</i> , Photo-electric H β photometry in seven open clusters and in the Scorpio-Centaurus association	377
<i>Haslam, C. G. T., Davies, J. G., Faraday, R. J., Moran, M. and Thomasson, P.</i> , Observations of planetary nebulae at three microwave frequencies	139
<i>Hearn, A. G.</i> , An interpretation of the total intensities of the Lyman α and β lines of hydrogen emitted by the Sun	305
<i>Hughes, R. G. and Longair, M. S.</i> , Evidence on the isotropy of faint radio sources	131
<i>Kalra, G. L. and Talwar, S. P.</i> , Kelvin instability for rotating compressible hydromagnetic fluids	391
<i>Kiang, T.</i> , On the clustering of rich clusters of galaxies	1
<i>Kronberg, P. P. and Conway, R. G.</i> , An interferometer of 423 metres baseline, consisting of two fully steerable radio telescopes	199
<i>Lindsay, E. M.</i> , The dimensions of 47 Tucanae	429
<i>Long, R. J. and Stewart, P.</i> , Further radio studies of sources in the fourth Cambridge catalogue	361
<i>Longair, M. S. and Hughes, R. G.</i> , Evidence on the isotropy of faint radio sources	131
<i>Lynden-Bell, D.</i> , On the origins of space-time and inertia	413

Index

(iii)

PAGE

Photometric measurements :

- Red and infra-red magnitudes and colours for 300 F, G and K type stars, *A. N. Argue* ... 23
- Spectrophotometry of the object η Carinae, *A. W. Rodgers and Leonard Searle* ... 99
- Glass-filter temperature effects in astronomical photometry, *A. T. Young* ... 175
- Photo-electric H β photometry in seven open clusters and in the Scorpio-Centaurus association, *J. A. Graham* ... 377
- Isophotometry of the 30 Doradus Nebula, *D. J. Faulkner* ... 401
- Moran, M., Davies, J. G., Faraday, R. J., Haslam, C. G. T. and Thomasson, P.*, Observations of planetary nebulae at three microwave frequencies ... 139
- Reddish, V. C.*, The dependence of interstellar reddening on luminosity amongst O and B stars ... 251
- Rees, M. J.*, Studies in radio source structure—I. A relativistically expanding model for variable quasi-stellar radio sources ... 345
- Ridgeley, A., Burton, W. M. and Wilson, R.*, The ultraviolet emission spectrum of the solar chromosphere and corona ... 207
- Rodgers, A. E. and Bell, R. A.*, The atmosphere of β Doradus—III. Hydrogen line profiles ... 121
- Rodgers, A. E. and Searle, Leonard*, Spectrometry of the object η Carinae ... 99
- Roxburgh, I. W. and Durney, B. R.*, The effect of a toroidal magnetic field on the radial oscillations of stars ... 329

Radio astronomy :

- Evidence on the isotropy of faint sources, *R. G. Hughes and M. S. Longair* ... 131
- Observations of planetary nebulae at three microwave frequencies, *J. G. Davies, R. J. Faraday, C. G. T. Haslam, M. Moran and P. Thomasson* ... 139
- A radio survey of the sky north of declination 70° at a frequency of 81.5 Mc/s, *N. J. B. A. Branson* ... 149
- An interferometer of 423 metres baseline, consisting of two fully steerable radio telescopes, *R. G. Conway and P. P. Kronberg* ... 199
- Identifications of radio sources with bright galaxies, *J. L. Caswell and D. Wills* ... 231
- The radio spectra of sources in the fourth Cambridge catalogue, II, *P. Stewart and P. J. S. Williams* ... 319
- Optical identifications of selected 4C radio sources, *D. Wills* ... 339
- Studies in radio source structure—I. A relativistically expanding model for variable quasi-stellar radio sources, *M. J. Rees* ... 345
- Further radio studies of sources in the fourth Cambridge catalogue, *R. J. Long and P. Stewart* ... 361

Solar physics :

- Comments on Plaskett's 'The Polar rotation of the Sun', *F. Ward* ... 147
- The ultraviolet emission spectrum of the solar chromosphere and corona, *Burton, W. M., Ridgeley, A. and Wilson, R.* ... 207
- An interpretation of the total intensities of the Lyman α and β lines of hydrogen emitted by the Sun, *A. G. Hearn* ... 305

Stars, binary :

- The few-body problem, close binary stars and stellar associations, *G. Worrall* ... 83
- The supergiant eclipsing system BL Telescopii, *M. W. Feast* ... 287

Stars, clusters and groups of :

- The dimensions of 47 Tucanae, *E. M. Lindsay* ... 429

Stars, spectra of :

- Coude spectra of Eta Carinae and the strongest lines of [Fe II] and [Ni II], *A. D. Thackeray* ... 51

Stars, structure and evolution of :

- Convective cores in stars, *R. J. Tayler* ... 225
- The structure of narrow shells in red giants, *P. P. Eggleton* ... 243
- The effect of a toroidal magnetic field on the radial oscillations of stars, *B. R. Durney and I. W. Roxburgh* ... 329
- Stewart, P. and Long, R. L.*, Further radio studies of sources in the fourth Cambridge catalogue ... 361
- Stewart, P. and Williams, P. J. S.*, The radio spectra of sources in the fourth Cambridge catalogue, II ... 319
- Talwar, S. P. and Kalra, G. L.*, Kelvin instability for rotating compressible hydromagnetic fluids ... 391
- Tandon, J. N. and Bajaj, N. K.*, Wave propagation in a rarefied rotating plasma with finite Larmor radius ... 41

	PAGE
<i>Taylor, R. J.</i> , Convective cores in stars	225
<i>Thackeray, A. D.</i> , Coudé spectra of Eta Carinae and the strongest lines of [Fe II] and [Ni II] ...	51
<i>Thomasson, P., Davies, J. G., Faraday, R. J., Haslam, C. G. T. and Moran, M.</i> , Observations of planetary nebulae at three microwave frequencies	139
Universe—Cosmology :	
— On the clustering of rich clusters of galaxies, <i>T. Kiang</i>	1
— On the origins of space-time and inertia, <i>D. Lynden-Bell</i>	413
<i>Visvanathan, N.</i> , Polarization in η Carinae	275
<i>Ward, F.</i> , Comments on Plaskett's 'The Polar rotation of the Sun'	147
<i>Williams, P. J. S. and Stewart, P.</i> , The ratio spectra of sources in the fourth Cambridge catalogue, II	319
<i>Wills, D.</i> , Optical identifications of selected 4C radio sources	339
<i>Wills, D. and Caswell, J. L.</i> , Identifications of radio sources with bright galaxies	231
<i>Wilson, R., Burton, W. M. and Ridgeley A.</i> , The ultraviolet emission spectrum of the solar chromosphere and corona	207
<i>Worrall, G.</i> , The few-body problem, close binary stars and stellar associations	83
<i>Young, A. T.</i> , Glass-filter temperature effects in astronomical photometry	175

PAGE
225
51

139

I
413
275
147

319
339
231

207
83
175